

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

In the Claims:

This listing of claims replaces all prior versions or listings in the application.

1. (Currently amended) An integrated circuit for a smart card comprising:

a transceiver; and

a processor for communicating with a host device over a system bus via said transceiver, said processor for

attaching to the system bus by providing an attachment signal,

providing at least one default descriptor to the host device,

cooperating with the host device to perform an enumeration based upon the at least one default descriptor,

detaching from the system bus by removing the attachment signal in view of a system event,

reattaching to the system bus by providing the attachment signal again, and

providing at least one 'alternate descriptor to the host device and cooperating with the host device to perform a new enumeration based thereon based upon allocations of system bus bandwidth to other devices communicating with the host device over the system bus.

2. (Cancelled).

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

3. (Cancelled).

4. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one device descriptor.

5. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one configuration descriptor.

6. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one interface descriptor.

7. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.

8. (Original) The integrated circuit of Claim 1 further comprising at least one memory connected to said processor for storing the at least one default descriptor and the at least one alternate descriptor.

9. (Original) The integrated circuit of Claim 1 wherein said transceiver comprises a universal serial bus (USB) transceiver, and wherein said processor operates in a USB mode.

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

10. (Currently amended) A smart card comprising:
a smart card body; and
an integrated circuit carried by said smart card
body and comprising
a transceiver, and
a processor for communicating with a host
device over a system bus via said transceiver, said processor
for
attaching to the system bus by providing
an attachment signal,
providing at least one default descriptor
to the host device,
cooperating with the host device to
perform an enumeration based upon the at least
one default descriptor,
detaching from the system bus by removing
the attachment signal in view of a system
event,
reattaching to the system bus by providing
the attachment signal again, and
providing at least one alternate
descriptor to the host device and cooperating
with the host device to perform a new
enumeration based thereon based upon
allocations of system bus bandwidth to other
devices communicating with the host device over
the system bus.

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

11. (Cancelled).

12. (Cancelled).

13. (Original) The smart card of Claim 10 wherein the at least one alternate descriptor comprises at least one device descriptor.

14. (Original) The smart card of Claim 10 wherein the at least one alternate descriptor comprises at least one configuration descriptor.

15. (Original) The smart card of Claim 10 wherein the at least one alternate descriptor comprises at least one interface descriptor.

16. (Original) The smart card of Claim 10 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.

17. (Original) The smart card of Claim 10 wherein said integrated circuit further comprises at least one memory connected to said processor for storing the at least one default descriptor and the at least one alternate descriptor.

18. (Original) The smart card of Claim 10 wherein said transceiver comprises a universal serial bus (USB)

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

transceiver, and wherein said processor operates in a USB mode.

19. (Currently amended) A smart card system comprising:

a host device and associated system bus;

a smart card adapter connected to said host device via said system bus; and

a smart card to be read by said smart card adapter and comprising a smart card body and an integrated circuit carried by said smart card body, said integrated circuit comprising

a transceiver, and

a processor for communicating with said host device over said system bus via said transceiver, said processor for

attaching to the system bus by providing an attachment signal,

providing at least one default descriptor to said host device,

cooperating with said host device to perform an enumeration based upon the at least one default descriptor,

detaching from the system bus by removing the attachment signal in view of a system event,

reattaching to the system bus by providing the attachment signal again, and

In re Patent Application of:

LEAMING

Serial No. 10/829,007

Filing Date: April 21, 2004

providing at least one alternate descriptor to said host device and cooperating with said host device to perform a new enumeration based thereon based upon allocations of system bus bandwidth to other devices communicating with said host device over said system bus.

20. (Cancelled).

21. (Cancelled).

22. (Original) The smart card system of Claim 19 wherein the at least one alternate descriptor comprises at least one device descriptor.

23. (Original) The smart card system of Claim 19 wherein the at least one alternate descriptor comprises at least one configuration descriptor.

24. (Original) The smart card system of Claim 19 wherein the at least one alternate descriptor comprises at least one interface descriptor.

25. (Original) The smart card system of Claim 19 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.

In re Patent Application of:
LEAMING
Serial No. 10/829,007
Filing Date: April 21, 2004

26. (Original) The smart card system of Claim 19 wherein said integrated circuit further comprises at least one memory connected to said processor for storing the at least one default descriptor and the at least one alternate descriptor.

27. (Original) The smart card system of Claim 19 wherein said transceiver comprises a universal serial bus (USB) transceiver, and wherein said host device and said processor operate in a USB mode.

28. (Currently amended) A method for operating a smart card comprising:

attaching the smart card to a system bus by providing an attachment signal;

providing at least one default descriptor from the smart card to a host device over the a system bus;

cooperating with the host device over the system bus to perform an enumeration based upon the at least one default descriptor;

detaching from the system bus by removing the attachment signal in view of a system event;

reattaching to the system bus by providing the attachment signal again; and

providing at least one alternate descriptor to the host device and cooperating with the host device over the system bus to perform a new enumeration based thereon based

In re Patent Application of:
LEAMING
Serial No. 10/829,007
Filing Date: April 21, 2004

upon allocations of system bus bandwidth to other devices
communicating with the host device over the system bus.

29. (Cancelled).

30. (Cancelled).

31. (Original) The method of Claim 28 wherein the
at least one alternate descriptor comprises at least one
device descriptor.

32. (Original) The method of Claim 28 wherein the
at least one alternate descriptor comprises at least one
configuration descriptor.

33. (Original) The method of Claim 28 wherein the
at least one alternate descriptor comprises at least one
interface descriptor.

34. (Original) The method of Claim 28 wherein the
at least one alternate descriptor comprises at least one
endpoint descriptor.

35. (Original) The method of Claim 28 wherein the
smart card comprises a universal serial bus (USB) smart card.

Claims 36-41 (cancelled).